

Villa Door Station

OEU-202S-HMK2



Overview

OEU-202S-HMK2 villa door station is one of the terminal equipment of the digital building intercom system, with functions of video intercom, security alarm, video surveillance, etc., providing a safe and comfortable living environment for residents. It can be widely used in villa building system.

Features

- Optional recess box for recess mount.
- Supports power output, which can be enabled or disabled on the Web interface.
- Built-in heating module supports operation at a very low temperature.
- Metal casing.
- Supports batch configuration.
- Supports call and intercom with the connected indoor stations and apps.
- Supports video monitoring, security alarm, and tamper alarm.
- Built-in IC card reader.

Specifications

| | |
|---------------------|---------------|
| Model | OEU-202S-HMK2 |
| Specification Index | |

| | |
|----------------------------------|--|
| Card Capacity | 10000 |
| Maximum Connected Indoor Station | 20 |
| Basic Business | |
| WDR | Support DWDR |
| Protocol | Private protocol |
| Button | 2 x Call button |
| Hardware Specification | |
| FOV | Horizontal: 106.9° Vertical: 56.9° Diagonal: 127.9° |
| Power Consumption | PoE: 6.48W DC12V: 5.35W |
| Volume Adjustment | Support |
| Audio Compression Bitrate | 128Kbps |
| Audio Output | 1 x Built-in speaker |
| Audio Input | 1 x Built-in omnidirectional microphone |
| Audio Quality | Noise suppression, echo cancellation, AGC |
| Protection Level | IP65 (Apply waterproof glue to the gap between the device and the wall. See the corresponding quick guide for details) IK08 |
| Weight | 675g |
| Mount Method | Wall mount |
| Interface | Power*1, network port*1, RS485*1, Wiegand*1, IO input*4, door lock*2 (support electric lock/door magnet), tamper button*1 |
| Network | 100Mbps network port, supports IEEE802.3af PoE power supply |
| Dimensions (L x W x H) | 96mm*176mm*33mm |
| Power Supply | DC12V ±25%, IEEE802.3af PoE power supply |
| Operating Environment | -40°C to 60°C, 10% to 90%, noncondensing, outdoor |
| Operating System | Linux |
| Illuminator | IR light (adaptive) |

Ordering Info

| Product Model | Description |
|---------------|---------------------------------------|
| OEU-202S-HMK2 | Villa Door Station(IC Card,2 Keypads) |

Accessories

EP-SZ202

202 Door Stations Embedded Bracket
(Plastic)




EP-CS202

202 Door Stations Sunshade(Metal)



Dimensions



Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.